

SAFETY DATA SHEET

BOUCHARD CITRUS ROOM FRESHNER (LIME)

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: BOUCHARD CITRUS ROOM FRESHNER (LIME)

APPLICATIONS: Air Freshener.

SUPPLIER: IBA UK Ltd,
Rachel House,
8 Castle Quay, Castle Boulevard,
Nottingham NG7 1FW

TEL: 0115 911 9777

FAX: 0115 911 9778

2 COMPOSITION/INFORMATION ON INGREDIENTS

| INGREDIENT NAME | EINECS No. | CAS No. | CONTENTS | SYMBOL | RISK (R No.) |
|-----------------|------------|-----------|----------|--------|-------------------|
| d-LIMONENE | 227-813-5 | 5989-27-5 | 83 % | Xi, N | 10, 38, 43, 50/53 |

The full text for all R-phrases are shown in section 16.

3 HAZARDS IDENTIFICATION

Flammable.

Irritating to skin.

May cause sensitisation by skin contact.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4 FIRST AID MEASURES

GENERAL: DO NOT INDUCE VOMITING. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

INHALATION:
SYMPTOMS:
A dry cough and tightness of the chest at low concentrations.
ACTIONS:
Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION:
SYMPTOMS:
There may be irritation of the throat with nausea and vomiting. Fumes from the stomach contents may be inhaled resulting in the same symptoms as inhalation.
ACTIONS:
Remove victim immediately from source of exposure. Immediately rinse mouth and provide fresh air. Give 1 pint (500 ml) of water to drink immediately. Get medical attention immediately!

SKIN:
SYMPTOMS:
There may be irritation and redness at the site of contact. Occasionally blisters may occur.
ACTIONS:
Remove affected person from source of contamination. Wash the skin immediately with soap and water.

EYES:
SYMPTOMS:
There may be irritation and redness.
ACTIONS:
Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention promptly if symptoms

FRESHNER (LIME)

occur after washing.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use: Foam. Carbon dioxide (CO₂).
DO NOT use Water.

SPECIAL FIRE FIGHTING PROCEDURES: Move container from fire area if it can be done without risk. Use water SPRAY only to cool containers! Do not put water on leaked material. Keep run-off water out of sewers and water sources. Dike for water control.

PROTECTIVE MEASURES IN FIRE: Wear self-contained breathing apparatus and appropriate protective clothing.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Wear suitable protective gloves. Pick-up and place in a suitable container for recovery or disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Persons susceptible for allergic reactions should not handle this product.

STORAGE PRECAUTIONS: Keep away from heat, sparks and open flame. Keep in cool, dry, ventilated storage and closed containers.

STORAGE CRITERIA: Flammable solid storage.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORS: Under normal conditions of usage respiratory protection is not required

PROTECTIVE GLOVES: Under normal usage conditions gloves are not required, however if contact is likely then suitable gloves should be worn. Confirmation of materials/advice should be sought from glove suppliers.

EYE PROTECTION: None required under normal handling conditions.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear to slightly cloudy gel.
ODOUR/TASTE: Characteristic.

10 STABILITY AND REACTIVITY

STABILITY: Normally stable. Avoid: Heat, sparks, flames.

11 TOXICOLOGICAL INFORMATION

INHALATION: Vapour may irritate respiratory system or lungs. High concentrations may result in dizziness or drowsiness.

INGESTION: May cause discomfort if swallowed. May cause stomach pain or vomiting. Unconsciousness may develop in severe cases.

SKIN: Irritating to skin. May cause sensitisation by skin contact. Repeated exposure may cause skin dryness or cracking.

EYES: May cause irritation to the eyes.

FRESHNER (LIME)

MEDICAL CONSIDERATIONS: Skin disorders and allergies.

INGREDIENT TOXICOLOGICAL DATA D-LIMONENE

TOXIC DOSE1- LD50: 4,400mg/kg (oral rat)

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements. Do not allow runoff to sewer, waterway or ground.

14 TRANSPORT INFORMATION

ROAD:

ROAD TRANSPORT NOTES: The physical size of this product makes it exempt from UK Road Transport Regulations.

RAIL:

RAIL TRANSPORT NOTES: The physical size of this product makes it exempt from UK Rail Transport Regulations.

SEA:

SEA TRANSPORT NOTES: The physical size of this product makes it exempt from Sea Transport Regulations.

AIR:

AIR TRANSPORT NOTES: Not shipped by air transport.

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



IRRITANT



DANGEROUS FOR
THE ENVIRONMENT

RISK PHRASES:

| | |
|---------|--|
| R-10 | Flammable. |
| R-38 | Irritating to skin. |
| R-43 | May cause sensitisation by skin contact. |
| R-50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

SAFETY PHRASES:

| | |
|---------|---|
| S-2 | Keep out of reach of children. |
| S-24/25 | Avoid contact with skin and eyes. |
| S-29 | Do not empty into drains. |
| S-46 | If swallowed seek medical advice immediately and show this container label. |

STATUTORY INSTRUMENTS: SI2002 No1689 - Chemicals (Hazard Information and Packaging) Regulations 2002.

APPROVED CODE OF PRACTICE: Approved Guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply.
Safety Data Sheets for Substances and Preparations Dangerous for Supply.

FRESHNER (LIME)

16 OTHER INFORMATION

REVISION DATE: 10-2002

REVISION No. /REPLACES SDS ISSUED:

1 / All versions.

R-PHRASES (Full Text):

R-10

Flammable.

R-38

Irritating to skin.

R-43

May cause sensitisation by skin contact.

R-50/53

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.